Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	26820	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 11:42
S2	3894	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals) near3 (connected)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 11:43
S3	85	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals) near3 (connected) near5 traces	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 11:45
S4	263	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals) near3 (connected) near5 wire	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 11:46
S5	28	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals) near3 (connected) and ("600" or "607"). clas.	US-PGPUB; USPAT; USOCR	ADJ .	ON	2006/10/05 11:55
S6	51	(PCB or printed circuit or printed circuit board) near3 (contacts or electrodes or terminals) with (leads or wires) and ("600" or "607").clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 12:14
S7	. 1	("5385146").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 16:19
S8	273	(439/909).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 16:24
S9	2	("0000439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 16:24
_S10	105094	("439").CLAS.	US-PGPUB; USPAT; USOCR	OR OR	OFF	2006/10/05 16:24
S11	21956	S10 and (contact or terminal or electrode) near5 (shaft or pin or elongated)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:25
S12	6487	S10 and (contact or terminal or electrode) near5 (shaft or elongated)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:25
S13	1121	S10 and (contact or terminal or electrode) near5 (shaft or elongated) near20 (wire or cable or lead)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:26

S14	1121	S10 and (contact or terminal or electrode) near5 (shaft or elongated) near20 (wire or cable or lead)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:28
S15	407	S10 and (contact or terminal or electrode) near5 (shaft or elongated) near20 (wire or cable or lead) and (mold or molded or molding)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:28
S16	205	S10 and (contact or terminal or electrode) near5 (shaft or elongated) near300 (mold or molded or molding)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/05 16:35
S17	39530	S10 and (contacts or electrodes)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:45
S18	253	S10 and (contacts or electrodes) near7 (mold)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:43
S19	5	(contacts or electrodes) near3 rows near7 (mold) not S18	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:43
S20	. 6	(contacts or electrodes) near3 rows near100 (mold) not S18	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:44
S21	13	(contacts or electrodes) near10 rows near100 (mold) not S18	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:44
S22	407	S10 and connector and pin adj shaped	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:46
S23	92	S10 and connector near20 pin adj shaped	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:49
S24	4866	S10 and pin adj3 connector	US-PGPUB;	ADJ	OFF	2006/10/05 16:49
			USPAT; USOCR			
,S25	5846	pin adj3 connector and ("439" or "607" or "600").clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 16:50
S26	516	pin adj3 connector near10 (contacts or electrodes) and ("439" or "607" or "600").clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/10/05 17:05
S27	0	(439/620).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 17:16

S28 305 (439/606,620.24,620.25).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 17:16	
---------------------------------------	------------------------------	----	-----	------------------	--

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10599	((29/884,874,876,881,883,825, 854-856,33M) or (174/261,268) or (439/909) or (361/772-776,791) or (607/36-38,115,116,119)).CCLS.	USPAT; USOCR	OR	OFF	2006/10/06 13:37
L2	234	I1 and @pd>"20060501"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/06 13:37